

Application
Number

Submit

IDS Flag Clearance for Application 10663628

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
Update					

 PALM INTRANETDay : Monday
Date: 10/23/2006
Time: 20:42:46

Continuity Information for 10/663628

Parent Data

No Parent Data

Child Data

No Child Data

Appln Info

Contents

Petition Info

Atty/Agent Info

Continuity/Reexam

Foreign Data

Inve

Search Another: Application#

Search

or Patent#

Search

PCT /

Search

or PG PUBS #

Search

Attorney Docket #

Search

Bar Code #

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



PALM INTRANET

Day : Monday
Date: 10/23/2006
Time: 20:42:49

Foreign Information for 10/663628

No Foreign Data

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)**Foreign
Data**[Inventor:](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

 PALM INTRANETDay : Monday
Date: 10/23/2006
Time: 20:42:52

Inventor Information for 10/663628

Inventor Name	City	State/Country
YIP, PHILIP CHU WAH	AUSTIN	TEXAS
BROWN, PAUL M. JR.	AUSTIN	TEXAS
MIRKIN, BRIAN SCOTT	AUSTIN	TEXAS

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

/


or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



PALM INTRANET

Day : Monday
Date: 10/23/2006
Time: 20:42:55

Inventor Name Search Result

Your Search was:

Last Name = YIP

First Name = PHILIP

Application#	Patent#	Status	Date Filed	Title	Inventor Name
08853430	6026130	150	05/09/1997	SYSTEM AND METHOD FOR ESTIMATING A SET OF PARAMETERS FOR A TRANSMISSION CHANNEL IN A COMMUNICATION SYSTEM	YIP, PHILIP
09086098	6195782	150	05/28/1998	MLSE IMPLEMENTATION USING A GENERAL PURPOSE DSP AND SHARED HARDWARE FOR A GSM APPLICATION	YIP, PHILIP
60040195	Not Issued	159	03/04/1997	ROBUST CHANNEL ESTIMATOR FOR GSM APPLICATIONS	YIP, PHILIP
08739009	5790658	150	10/28/1996	HIGH PERFORMANCE ECHO CANCELER FOR HIGH SPEED MODEM	YIP, PHILIP C.
08853300	6374375	150	05/09/1997	MONITORING LINE CONDITIONS IN THE DATA TRANSMISSION MODE	YIP, PHILIP C.
10663628	Not Issued	30	09/16/2003	Method for training a receiving modem	YIP, PHILIP CHU WAH
09401088	6708024	150	09/22/1999	METHOD AND APPARATUS FOR GENERATING COMFORT NOISE	YIP, PHILIP CHU WAH
10038815	Not Issued	149	12/31/2001	IMAGING COMPATIBLE GUIDE FOR TRAVERSING A BODY LUMEN	YIP, PHILIP S.
10334034	7105018	150	12/30/2002	DRUG-ELUTING STENT COVER AND METHOD OF USE	YIP, PHILIP S.
10334036	6896697	150	12/30/2002	INTRAVASCULAR STENT	YIP, PHILIP S.
10438632	6846323	150	05/15/2003	INTRAVASCULAR STENT	YIP, PHILIP S.
10805047	Not Issued	30	03/18/2004	Stent mandrel fixture and a method of coating a stent	YIP, PHILIP S.
10805455	Not Issued	30	03/19/2004	Locking component for an embolic filter assembly	YIP, PHILIP S.
11360324	Not Issued	30	02/22/2006	Bone marrow aspiration device	YIP, PHILIP S.

11497652	Not Issued	25	08/01/2006	Drug-eluting stent cover and method of use	YIP, PHILIP S.
08545153	5647809	150	10/19/1995	KICKABLE TOY	YIP, PHILIP S.
08672962	Not Issued	161	07/01/1996	ERGONOMIC STEERING DEVICE	YIP, PHILIP S.
08775002	Not Issued	161	12/27/1996	KICKABLE TOY	YIP, PHILIP S.

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="YIP"/>	<input type="text" value="PHILIP"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

**Inventor Name Search Result**

Your Search was:

Last Name = MIRKIN

First Name = BRIAN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10663628	Not Issued	30	09/16/2003	Method for training a receiving modem	MIRKIN, BRIAN SCOTT

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	MIRKIN	BRIAN	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

 **PALM INTRANET**Day : Monday
Date: 10/23/2006
Time: 20:44:08

Correspondence Address for 10/663628

Customer Number	Contact Information	Address
42640	Telephone: (512)343-6116 Fax: (512)343-6446 E-Mail: No E-Mail Address	DILLON & YUDELL LLP 8911 NORTH CAPITAL OF TEXAS HWY SUITE 2110 AUSTIN TX 78759

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Go to Google Home](#)

modem training "64 symbols"

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 89 for **modem training "64 symbols"**. (0.38 seconds)**System and method for training a plurality of equalizers and a ...**... 1 wherein said predetermined constellation of symbols comprises **64 symbols**. ... The**MODEM** as recited in claim 19 wherein said **training** circuitry further ...www.freepatentsonline.com/6088389.html - 56k - [Cached](#) - [Similar pages](#)**Modem with remote speed-change capability - Patent 4956851**The other **modem** detects the **training** sequence, and, at the completion of ... Using a constellation of **64 symbols** rather than 16, at a signalling rate of ...www.freepatentsonline.com/4956851.html - 59k - [Cached](#) - [Similar pages](#)[[More results from www.freepatentsonline.com](#)]**[PDF] FALCONER LAYOUT**

File Format: PDF/Adobe Acrobat

receiver, and the subscriber **modem** uses an SC. transmitter and an OFDM receiver, ...Note that 8 **training**. blocks, each of length **64 symbols**, represents a ...ieeexplore.ieee.org/iel5/35/21492/00995852.pdf - [Similar pages](#)**[PDF] Transmission of High Rate ATM Packets over Indoor Radio Channels ...**

File Format: PDF/Adobe Acrobat

coded MCM technique in the **modem** design. Relatively low ... these **64 symbols** are the estimated channel coefficients. Note ... the **training** sequence ...ieeexplore.ieee.org/iel1/49/10455/00490232.pdf?arnumber=490232 - [Similar pages](#)[[More results from ieeexplore.ieee.org](#)]**MDSL DMT architecture - Patent Review 6549512**The MDSL **modem** uses its improved **training** sequence for synchronization, ... level is -4 dBm for the first **64 symbols**, and -28 dBm for the second **64 symbols**. ...www.wikipatents.com/6549512.html - 153k - [Cached](#) - [Similar pages](#)**Configuring the Cisco uBR-MC28C Cable Modem Card [Cisco Universal ...**Cisco uBR7200 Series Cable **Modem** Card Hardware Installation Guide ... Valid minislots sizes are: 2 (32 symbols), 4 (**64 symbols**), 8 (128 symbols), ...

www.cisco.com/en/US/products/hw/modules/

ps4302/prod_module_configuration_guide09186a00800881dc.html - 287k -

[Cached](#) - [Similar pages](#)**Upstream Modulation Profiles for Cable Linecards [Radio Frequency ...**The preamble is a way for the CMTS and cable **modem** to synchronize. ... This picture is the output of a debug command on a Cisco cable **modem** that shows the ...www.cisco.com/en/US/tech/tk86/tk319/technologies_tech_note09186a008020560f.shtml - 197k - [Cached](#) - [Similar pages](#)[[More results from www.cisco.com](#)]**[PDF] Performance of a Fast Start-up Equaliser for Broadband Indoor Radio**File Format: PDF/Adobe Acrobat - [View as HTML](#)(cold start) with $N_t = 64$ **symbols**. The LMS (PRA). equaliser with $N_t = 64$ achieves similar ... **training** of a voiceband data-**modem** receiver employing an ...www.cambridgebroadband.com/papers/sellars_ieepc01.pdf - [Similar pages](#)**Diceware Passphrase FAQ**That is a total of **64 symbols** and it turns out that gives you exactly 6 bits of ... ask your systems administrator to switch to more **modem** login password ...world.std.com/~reinhold/dicewarefaq.html - 73k - [Cached](#) - [Similar pages](#)

[PDF] [Connecting the home with a phone line network chip set - Micro, IEEE](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Standard) cable **modem** require home net- ... **training** and demodulation. Physical layer privacy ... **64 symbols**. Header. (2-Mbaud QPSK). Payload ...

www.homepna.org/docs/paper500.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) **[Next](#)**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Go to Google Home](#)

v.92 itu standard "quick connect" "6

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 20,300 for **v.92 itu standard "quick connect"**. (0.45 seconds)**Product search results for v.92 itu standard "quick connect"**[Diamond Multimedia - 90500031 - SupraSST 56I SFTMDM, PCI ...](#) - \$13.98 - ElectronicsOutfitter.com[Diamond Multimedia SM56PCILEWB SupraMax V.92 56K PCI ...](#) - \$15.99 - Beach Audio["Diamond Multimedia SupraSST 56I SFTMDM, PCI V.92"](#) - \$18.46 - 110220volts.com**V.92 Quick Connect for Cisco AS5300 and Cisco AS5800 Universal ...**This feature module describes the **V.92** International Telecommunication Union Telecommunication Standardization Sector (ITU-T) **standard Quick Connect (QC)** ...[www.cisco.com/univercd/cc/td/doc/product/](#)[software/ios122/122newft/122t/122t11/ft92mqc1.htm](#) - 49k - [Cached](#) - [Similar pages](#)**[PDF] New V.92 Standard Improves 56Kbps Modem Technology and Performance**File Format: PDF/Adobe Acrobat - [View as HTML](#)**V.92** features require **V.92 ITU standard** capable service provider. ... **Quick Connect** —

Reduces dial-up connection time by up to 50% from V.90 ...

[www.usr.com/support/sportster/sportster-files/V92.pdf](#) - [Similar pages](#)**[PDF] V.92 Technology**File Format: PDF/Adobe Acrobat - [View as HTML](#)At the ITU, **standards** development occurs via a two- stage process. ... **V.92** enables three major new functions: "Modem on. Hold," "**Quick Connect**," and "V.PCM ...[www.usr.com/support/sportster/sportster-files/V92QA.pdf](#) - [Similar pages](#)[[More results from www.usr.com](#)]**Frequently Asked Questions****V.92** is the new dial-up modem specification from the ITU (International ... The **quick connect** feature of a **V.92** modem cuts the modem negotiation or ...[www.v92.com/faqs/](#) - 18k - [Cached](#) - [Similar pages](#)**Diamond SupraMax External - (Serial) 56K Modem**V.90, **V.92 ITU standard** 56K; Data compression V.44, V.42bis and MNP5 ... There are four important benefits to the **V.92 standard; Quick Connect**, ...[www.diamondmm.com/SM56E.php](#) - 40k - [Cached](#) - [Similar pages](#)**Diamond SupraMax PCI Pro - 56K Modem****V.92** is an International Telecommunications Union (ITU) **standard** for analog modem ...There are four important benefits to the **V.92 standard; Quick Connect**, ...[www.diamondmm.com/SM56PCI.php](#) - 40k - [Cached](#) - [Similar pages](#)[[More results from www.diamondmm.com](#)]**CompUSA.com: U.S. Robotics 56K V.92 Internal PCI Data Fax Modem ...**Get online quicker – **Quick Connect** lets you establish your connection faster, ... **V.92** requires **V.92 56K ITU standard** capable service provider. In the Box: ...[www.compusa.com/products/product_info.asp?product_code=296024](#) - 23k -[Cached](#) - [Similar pages](#)**V.92 - Wikipedia, the free encyclopedia****V.92** is an ITU-T recommendation, titled Enhancements to Recommendation V.90, that establishes a modem **standard** allowing near 56 kbit/s download and 48 ...[en.wikipedia.org/wiki/V.92](#) - 16k - [Cached](#) - [Similar pages](#)**Additional Email Setup****Quick Connect** - The promise of **Quick Connect** is that a user's **V.92** modem will be ...

When the ITU defined the **V.92 standard** and V.44, they decided that a ...
support.netins.net/ts/56k.htm - 26k - [Cached](#) - [Similar pages](#)

Small Business: US ROBOTICS Serial External 56K V.92 Faxmodem

The 56K **V.92** External Serial Faxmodem from U.S. Robotics® combines enhanced performance and reliability with the advantages of **V.92 ITU standard** technology. ...
accessories.us.dell.com/sna/productdetail.aspx?c=us&l=en&s=bsd&cs=04&sku=A0064473
- 29k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

v.92 itu standard "quick connect"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

modem AND training AND "64 symbols" AND ab AND c

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:modem AND training AND "64 symbols" AND ab AND cd

Found:: :2 total | 0 journal results | 2 preferred web results | 0 other web results

Sort by:: :relevance | date

Save checked results

Email checked results

Export checked results

- ☐ 1. [FRAME-BASED COMMUNICATION WITH VARIABLE RATE PAYLOAD](#)
HOLLOWAY, John T. / FRANK, Edward H. / OJARD, Eric / TRACHEWSKY, Jason, Alexander / MALLORY, Tracy D. / PTASINSKI, Henry S. / HAYES, Raymond / (...) / **PATTIN, Jay**, *PATENT COOPERATION TREATY APPLICATION*, Oct 2001
...the same cable **modem** network. A cable **modem** having an BPNA V2 transceiver included...network then communicate through the cable **modem** to the outside telephony world as described...the customer premises over the cable **modem** system would be in a digitized packetized...frequency offset estimation, equalizer **training**, carrier sensing and collision detection...

Full text available at patent office. For more in-depth searching go to  LexisNexis-
[view all 2 results from Patent Offices](#)
[similar results](#)

- ☐ 2. [A CAMERA WITH INTERNAL PRINTING SYSTEM](#)
SILVERBROOK, Kia / WALMSLEY, Simon / LAPSTUN, Paul, *PATENT COOPERATION TREATY APPLICATION*, Jan 1999
...of portable storage is the compact disc "CD" which utilizes a series of elongated pits...a laser beam device. The utilization of **CD's** provides for an extremely low cost form...quite complex and the use of rewritable **CD** type devices is extremely limited. Other...

Full text available at patent office. For more in-depth searching go to  LexisNexis-
[view all 2 results from Patent Offices](#)
[similar results](#)

Did you me
model trai
symbols" al

Or refine
All of the

Refine

[Modems 64](#)
Hardware for
Deals on Moc
Shopzilla.com

[Symbols](#)
Looking to fir
Browse our s
SymbolDirect

[Training Cd](#)
The Ultimate
information c
Training-Cd.I

Sponsored links

[CCNA Router Training \\$159](#)


Self-paced certification **training** Cisco CCNA, MCSE, MCDST, A+
[www.turbocert.com](#)

[Internet Tutorial](#)

Learn the Internet from the Bottom Up w/ Video Professor-Official
Site
[www.VideoProfessor.com](#)

[Training Cd](#)

Looking for **Training Cd**? Find exactly what you want today.
[www.eBay.com](#)



[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2006



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((modem<in>metadata) <and> (training<in>metadata))<and> (ab symbols&l..."

Your search matched 0 documents.

e-mail print

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
 Inspect®[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

□ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((modem<in>metadata) <and> (training<in>metadata))<and> (64 symbols<in>me

[e-mail](#) [printer](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((modem<in>metadata) <and> (training<in>metadata))<and> (segment 1<..."

[e-mail](#) [printer](#)Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
 Inspect®[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights